

# EDB-411



## Specifications

ETI Code	001102304
Description	EDB-411
Class name	Distribution block
Short circuit capacity (kA)	20
Rated current (A)	125
Rated voltage (V)	400
Height (mm)	50
Width (mm)	100
Depth (mm)	88
Mounting	TH35/plate
Number of terminals	4x11
Rated cross section	4x (7x 1,5 - 6mm <sup>2</sup> + 2x 6 - 16mm <sup>2</sup> + 2x 10 - 16mm <sup>2</sup> )
Working temperature (°C)	-30 ÷ 85
Rated insulation voltage (V)	500
Body material	PA
Clamp material	MO-57

Online product page [🔗](#)

## Other documentation



[Technical data catalogue](#)  
[3D Model](#)  
[CE declaration](#)  
[Eplan file](#)

## ETIM international classification

Classification	EC001284
Class name	Single- and multi-pole terminal strip
Width	100
Rated short-circuit breaking capacity according to EN 60898	20
Rated current	125
Built-in depth	88
Height	50
Connectable conductor cross section solid-core	1.5...16mm <sup>2</sup>
Rated current I <sub>n</sub>	125A
Rated voltage	400V
Type of electrical connection 1	Screw connection
Connection position	Sideways
Number of poles	4
Number of clamp positions per pole	11
Mounting method	Other
Material insulation body	Thermoplastic
Height at lowest possible mounting height	50mm
Length	100mm
Closing plate required	1
Colour	Grey
Transparent	1